

Report Details

Report ID: 123456

Date: 27/02/2023

Grid Reference:

E: 123456 | N: 123456

Report Reference:


Sample Ref

Requested by:

Sample Client

Current Use: Residential

Proposed Use: Residential



Report on:

Sample Site, Street, Town County, UK

If you require assistance, please contact us to speak to an expert.

+44 (0)1732 755 180

fci-admin@dyedurham.com

Author:

Rowena Maitland, BSc (Hons), PIEMA
REnvP

Associate Environmental Consultant



Peer Review:

Connor Bowman, BSc (Hons) PIEMA
REnvP

Risk Team Leader



Professional Opinion Summary

Environmental

PASS

In the context of this Appraisal, the Property is not considered likely to be determined 'Contaminated Land' under Part 2A of the Environmental Protection Act 1990, assuming a continued end-use without redevelopment.

This summary should be read in conjunction with the full assessment in the following pages of this report, along with any recommendations made.



1.0 Context

The Residential Premium report is a modular assessment, which includes an 'Environmental' section relating to plausible liability under Part 2A of the Environmental Protection Act, 1990 (The 'Contaminated Land' regime). The report's Professional Opinion results in a 'Further Action' if there is a potential property specific risk is identified, and further action is advised.

The Professional Opinion of the Residential Premium Report (Ref: 123456) advised further action in relation to the Environmental risk identified. This was due to the Property being on the site of a former Garage. As such, we have been instructed to complete an Appraisal Report. The Enviro Appraisal contains a more detailed desktop review of the property and consultation with the relevant regulatory authorities. The Enviro Appraisal offers a revised Professional Opinion, where the information reviewed suggests an appropriate reduction in the level of risk.



2.0 Information Review

2.1 Regulatory Consultation

Regulator	Summary of Response
Environmental Health Department <i>North Kesteven District Council</i>	<p>A response provided by John Smith, Freedom of Information Team, on 09/02/2023 confirmed that the Property has not been prioritised for inspection under Part 2A of the Environmental Protection Act, 1990.</p> <p>The Environmental Health Department consider the Property suitable for its current residential use.</p>
Environment Agency	<p>As part of this review, an information request was made to the Environment Agency, however, to date they have not responded to this request. Given the information obtained and reviewed from other sources should a response be provided it is unlikely to affect the outcome of this report.</p>

.....
If you require assistance, please contact us
to speak to an expert:

☎ +44 (0)1732 755 180

✉ fci-admin@dyedurham.com

IEMA Transforming the world
to sustainability



COPSO
AFFILIATE MEMBER



2.2 Planning Review

Reference	Approval Date	Description of Development
N/68/1052/89	20/22/1989	Onsite: Sample Road Street Town SA13 9LE
		<i>Erect 10 houses and 4 flats.</i>
		No contaminated land conditions were imposed on the Decision Notice.
N/68/1064/87	08/01/1988	Onsite: Sample Road Street Town SA13 9LE
		<i>Erect dwellings.</i>
		No contaminated land conditions were imposed on the Decision Notice.
97/0190/FUL	26/03/1997	Offsite: adjacent to Property Sample Road Street Town
		<i>Alterations and extensions to Public House. Change of use of allotment to car park.</i>
		No contaminated land conditions were imposed on the Decision Notice.



3.0 Professional Opinion Analysis

Contaminated Land Liability

PASS

The regulatory enquiries conducted as part of this Appraisal have reduced the level of perceived risk associated with the Property, and it is now considered unlikely to be at a significant risk of designation as 'Contaminated Land' under Part 2A of the Environmental Protection Act 1990 at this time. No significant concerns were raised by the regulators during our enquiries, and in particular the Local Authority Environmental Health Department has confirmed that the Property is not at an elevated priority for investigation.

Therefore, no further action is recommended in the context of the transaction and this assessment.



4.0 Recommendations

None required.

.....
If you require assistance, please contact us
to speak to an expert:

☎ +44 (0)1732 755 180

✉ fci-admin@dyedurham.com

IEMA Transforming the world
to sustainability



COPSO
AFFILIATE MEMBER





5.0 Supplementary Guidance

This section provides general insight on common issues associated with redevelopment and operational compliance, which may offer helpful advice if they meet with the context of this transaction:

Please note that these assessments are supplementary to the main purpose of this report and are not considered within the overall 'Professional Opinion' or 'Contaminated Land Liability Analysis' given above. These sections are intended to serve only as guidance.

5.1 Redevelopment Risk

CONSIDERATIONS

Consideration of ground conditions and pollution is required within the planning process to ensure that a property is suitable for use, as stipulated within the National Planning Policy Framework (NPPF). Contamination issues are a material consideration in all aspects of the planning process, including alterations under permitted development rights.

We understand that the Property is currently in residential use and it will remain in this use without redevelopment.

However, due to known historical contaminative use it is possible that for any proposed development, particularly if it's for a sensitive end use, a more detailed environmental investigation may be required as a confirmatory step to demonstrate beyond doubt that the Property will be suitable for that proposed end-use. Should this Property be redeveloped in the future, it is possible that the Local Planning Authority would request phased investigation, in compliance with the Environment Agency's Land contamination risk management web pages at <https://www.gov.uk/government/publications/land-contamination-risk-management-lcrm>.

5.2 Operational Risk

NONE IDENTIFIED

It is important to note that the way in which land or property is used can have a material impact on third party land and Property. The nature of the existing use can give rise to regulatory action if compliance with current environmental regulations and best practice is not adhered to.

We understand that the Property is currently in residential use and it will remain in this use without redevelopment.

Therefore, it is not considered likely that the Property poses a significant risk of causing any damage to surrounding land and the environment. As such, no additional assessment is considered essential. However, we would always recommend that a purchaser pays particular attention to the condition of any domestic infrastructure that might be present, such as heating oil tanks, and seeks professional advice where necessary.

If your own inspection or enquiries raise any concerns, please contact the Environmental Risk Team on 01732 755 180 or email us at FCI-Consultancy@dyedurham.com to discuss your options.

.....
If you require assistance, please contact us to speak to an expert:

☎ +44 (0)1732 755 180

✉ fc-admin@dyedurham.com

IEMA Transforming the world to sustainability



COPSO
AFFILIATE MEMBER





6.0 Notes & Guidance

6.1 Report Notes

METHODOLOGY

This report is a desk study risk assessment, and no site or ground inspection or physical investigation has been carried out. The impacts of the risks addressed in this report are normally measured in terms of quiet enjoyment, saleability, mortgageability, and the value of the property as a result of the property being subject to a Remediation Notice as defined by Part 2A of the Environmental Protection Act, 1990.

The risk assessment in this report is provided by FCI who are regulated by RICS.

6.2 Contaminated Land

METHODOLOGY

The contaminated land risk assessment used in this report takes account of statutory Contaminated Land as well as information on the various land uses or processes which may have the potential to create Contaminated Land. These include, for example, relevant former industrial land uses shown on historical maps, current industrial land uses, and relevant industrial processes. Risks such as waste sites, licensed discharge consents, radioactive substances, pollution prevention and control licences, explosives, and dangerous substance inventory, Control of Major Accidents and Hazards (COMAH), and Notification of Installations Handling Hazardous Substances (NIHHS) and Planning Hazardous Substance sites are all very highly regulated and as such are excluded from the Contaminated Land risk assessment. Such features at or nearby the property are features that may be considered in the survey or valuation.

6.3 Supplementary Guidance

METHODOLOGY

The Supplementary Guidance given in this report is based on a desk study risk assessment, and no site walkover, ground inspection or physical investigation has been carried out. This section is intended as general advice and guidance only.

Section 5.1 'Redevelopment Risk' provides general guidance on the potential for and likely extent of additional assessment works which may be required as detailed within the National Planning Policy Framework should the property undergo a change of use or redevelopment. The following results will be displayed in the following scenarios:

- **'None Identified'** whether or not redevelopment is proposed, where we have no evidence to suggest that contamination will be present from the historical and/or current use of the property (or its surroundings) and only minor additional investigative environmental works would be anticipated in the first instance pending redevelopment.
- **'Considerations'** whether or not redevelopment is proposed, where we are aware of plausible contamination associated with the historical and/or current use of the property (or its surroundings) and minor additional investigative environmental works would be anticipated in the first instance pending redevelopment, and a need for some level of supplementary investigation and/or remedial works is plausible.
- **'Major Considerations'** where redevelopment is proposed, and we are aware of highly plausible contamination associated with the historical and/or current use of the property (or its surroundings) and major additional investigative environmental works would be anticipated in the first instance pending redevelopment, and a need for supplementary investigation and/or remedial works is considered highly likely.

Section 5.2 'Operational risk' flags specific risks which have been identified from a review of the data which in the opinion of the report author have the imminent potential to lead to serious future environmental harm to soils, surface water or groundwater or significant liabilities under areas of legislation relating to environmental permitting, environmental damage, oil storage and waste management if not managed correctly. The guidance is based only on observations of the data and does not guarantee to identify all plausible environmental risks or non-compliance issues. The following results will be displayed in the following scenarios:

- **'None Identified'** where, from a review of the data, no operational activities or management practices have been identified which present a plausible risk of causing environmental AND no highly sensitive environmental features are in close proximity to the property

.....
If you require assistance, please contact us to speak to an expert:

☎ +44 (0)1732 755 180

✉ fc-admin@dyedurham.com

IEMA Transforming the world to sustainability



COPSO
AFFILIATE MEMBER



- ‘**Considerations**’ where, from a review of the data, operational activities or management practices have been identified which present a plausible risk of causing harm to sensitive environmental receptors if not managed correctly OR highly sensitive environmental features are in close proximity to the property.

6.4 Standard

T&Cs, QUERIES & COMPLAINTS

This report is supplied by Future Climate Info Limited subject to Terms and Conditions of Business, available at:

<https://futureclimateinfo.com/wp-content/uploads/2023/02/FCI-terms-and-conditions-v0223.pdf>

6.5 Search Code

CONSUMER INFORMATION

IMPORTANT CONSUMER PROTECTION INFORMATION

This search has been produced by Future Climate Info Ltd, Office 35, 26 Kings Hill Avenue, Kings Hill, West Malling ME19 4AE, Telephone 01732 755 180, Email: fci-admin@dyedurham.com, which is registered with the Property Codes Compliance Board (PCCB) as a subscriber to the Search Code. The PCCB independently monitors how registered search firms maintain compliance with the Code.

The Search Code:

- Provides protection for homebuyers, sellers, estate agents, conveyancers and mortgage lenders who rely on the information included in property search reports undertaken by subscribers on residential and commercial property within the United Kingdom.
- Sets out minimum standards which firms compiling and selling search reports have to meet.
- Promotes the best practice and quality standards within the industry for the benefit of consumers and property professionals.
- Enables consumers and property professionals to have confidence in firms which subscribe to the code, their products and services.

By giving you this information, the search firm is confirming that they keep to the principles of the Code. This provides important protection for you.

The Code's core principles

Firms which subscribe to the Search Code will:

- Display the Search Code logo prominently on their search reports.
- Act with integrity and carry out work with due skill, care and diligence
- At all times maintain adequate and appropriate insurance to protect consumers
- Conduct business in an honest, fair and professional manner
- Handle complaints speedily and fairly
- Ensure that products and services comply with industry registration rules and standards and relevant laws
- Monitor their compliance with the Code

Complaints

If you have a query or complaint about your search, you should raise it directly with the search firm, and if appropriate ask for any complaint to be considered under their formal internal complaints procedure. If you remain dissatisfied with the firm's final response, after your complaint has been formally considered, or if the firm has exceeded the response timescales, you may refer your complaint for consideration under The Property

.....
If you require assistance, please contact us
to speak to an expert:

☎ +44 (0)1732 755 180

✉ fci-admin@dyedurham.com

IEMA Transforming the world
to sustainability



COPSO
AFFILIATE MEMBER



Ombudsman scheme (TPOs). The Ombudsman can award compensation of up to £5,000 to you if the Ombudsman finds that you have suffered actual financial loss and/or aggravation, distress or inconvenience as a result of your search provider failing to keep to the Code.

Please note that all queries or complaints regarding your search should be directed to your search provider in the first instance, not to TPOs or to the PCCB.

TPOs Contact Details:

The Property Ombudsman scheme, Milford House, 43-55 Milford Street, Salisbury, Wiltshire SP1 2BP
Tel: 01722 333306, Fax: 01722 332296, Email: admin@tpos.co.uk, Web: <https://www.tpos.co.uk/>
You can get more information about the PCCB from www.propertycodes.org.uk

PLEASE ASK YOUR SEARCH PROVIDER IF YOU WOULD LIKE A COPY OF THE SEARCH CODE

6.6 Report Licensing



© Bluesky International Ltd.

6.7 Useful Contacts

Environment Agency

Tel: 08708 506 506
Visit: www.environment-agency.gov.uk
Email: enquiries@environment-agency.gov.uk

Local Authority

Sample Borough Council
Tel: 01273 555555
Visit: www.samplecouncil.com

Dye & Durham – Environmental Risk Team

Tel: 01732 755 180
Email: fci-admin@dyedurham.com
Address: Office 35, 26 Kings Hill Avenue, Kings Hill, West Malling ME19 4AE

.....
If you require assistance, please contact us to speak to an expert:

☎ +44 (0)1732 755 180

✉ fci-admin@dyedurham.com

IEMA Transforming the world to sustainability



COPSO
AFFILIATE MEMBER

